

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re U. S. Patent No.: 7,118,801)	Group Art Unit: 1713
)	
Inventors: Ristic-Lehmann et al.)	Examiner: Henry S. Hu
)	
Serial No.: 10/706,777)	Conf. No.: 7870
)	
Issued: October 10, 2006)	
)	
For: Aerogel/PTFE Composite Insulating)	
<u>Material</u>)	

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF
CORRECTION PURSUANT TO 37 C.F.R. 1.323**

Dear Sir:


Transmitted herewith is a Certificate of Correction for U.S. Patent 7,118,801, issued October 10, 2006. Upon reviewing the patent, the patentee noted that the following typographical errors were made by the Patent and Trademark Office, which should be corrected as follows:

At column 20, line 11: change "materiel" to --material--.
At column 20, line 15: change "particle" to --particles--.

As to the errors, a review of the text as originally filed confirms that the errors were made in the printing of the patent.

Since the errors for which a Certificate of Correction is sought were a result of Patent and Trademark Office errors in printing, no fee is due (35 USC 254).

Respectfully submitted,


Dianne Burkhard, 41,650
W. L. Gore & Associates, Inc.
P.O. Box 9206
551 Paper Mill Road
Newark, DE 19714
(302) 738-4880

Date: January 24, 2007

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,118,801

DATED : October 10, 2006

INVENTOR(S) : Ristic-Lehmann et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20, line 11: change "materiel" to --material--

Column 20, line 15: change "particle" to --particles--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Dianne Burkhard, 41,650
W. L. Gore & Associates, Inc.
P. O. Box 9206
Newark, DE 19714-9206

PATENT NO. 7,118,801

No. of additional copies

